

6.8 References

- Andeen, G.B. and Marks, J.S. (1978). Analysis and testing of steam chugging in pressure systems. *Electric Power Res. Inst. Report NP-908*.
- Baker, O. (1953). Design of pipelines for the simultaneous flow of oil and gas. Society of Petroleum Engineers. doi:10.2118/323-G
- Borishanski, V.M. (1956). An equation generalizing experimental data on the cessation of bubble boiling in a large volume of liquid. *Zhurnal Tekhnicheskoi Fiziki*, **26**, No.7, 452-456.
- Brennen, C.E. (1979). A linear, dynamic analysis of vent condensation stability. In *Basic Mechanisms in Two-Phase Flow and Heat Transfer* (eds. P.H. Rothe and R.T. Lahey, Jr.), ASME, **G00179**, 63-71.
- Brennen, C.E. (1995). *Cavitation and bubble dynamics*. Oxford Univ. Press.
- Brennen, C.E. (2005). *Fundamentals of multiphase flow*. Cambridge Univ. Press.
- Bromley, L.A. (1950). Heat transfer in stable film boiling. *Chemical Engineering Progress*, **46**, 221-227.
- Butterworth, D., and Hewitt, G.F. (1977). *Two-phase flow and heat transfer*, Oxford Univ. Press.
- Class, G. and Kadlec, J. (1976). Survey of the behavior of BWR pressure suppression systems during the condensation phase of LOCA. *Paper presented at Amer. Nucl. Soc. Int. Conf., Washington, D.C., Nov. 1976*.
- Collier, J.G., and Thome, J.R. (1994). *Convective boiling and condensation*. Clarendon Press, Oxford.
- Elghobashi, S.E. and Truesdell, G.C. (1993). On the two-way interaction between homogeneous turbulence and dispersed solid particles. I: Turbulence modification. *Phys. Fluids*, **A5**, 1790-1801.
- Fritz, W. (1935). The calculation of the maximum volume of steam bladders. *Physikalische Zeitschrift*, **36**, 379-384.
- Frost, D. and Sturtevant, B. (1986). Effects of ambient pressure on the instability of a liquid boiling explosively at the superheat limit. *ASME J. Heat Transfer*, **108**, 418-424.
- Griffith, P. and Wallis, J.D. (1960). The role of surface conditions in nucleate boiling. *Chem. Eng. Prog. Symp.*, Ser. 56, **30**, 49-63.
- Hewitt, G.F., and Roberts, D.N. (1969). Studies of two-phase flow patterns by simultaneous X-ray and flash photography. *U.K.A.E.A. Rep. No. AERE-M2159*.

- Hewitt, G.F., and Hall-Taylor, N.S. (1970). *Annular two-phase flow*. Pergamon Press.
- Hewitt, G.F. (1982). Flow regimes. In *Handbook of multiphase systems* (ed: G. Hetsroni). McGraw-Hill Book Co.
- Hsu, Y.-Y. and Graham, R.W. (1976). *Transport processes in boiling and two-phase systems*. Hemisphere Publ. Co. and McGraw-Hill Book Co.
- Hubbard, N.G. and Dukler, A.E. (1966). *The characterization of flow regimes in horizontal two-phase flow*. Heat Transfer and Fluid Mechanics Inst., Stanford Univ.
- Jones, O.C. and Zuber, N. (1974). Statistical methods for measurement and analysis of two-phase flow. *Proc. Int. Heat Transfer Conf., Tokyo*.
- Kiceniuk, T. (1952). A preliminary investigation of the behavior of condensible jets discharging in water. *Calif. Inst. of Tech. Hydro. Lab. Rept.*, E-24.6.
- Koch, E. and Karwat, H. (1976). Research efforts in the area of BWR pressure suppression containment systems. *Proc. 4th Water Reactor Safety Research Meeting, Gaithersburg, MD, Sept. 1976*.
- Kutateladze, S.S. (1948). On the transition to film boiling under natural convection. *Kotloturbostroenie*, **3**, 152-158.
- Kutateladze, S.S. (1952). Heat transfer in condensation and boiling. *U.S. AEC Rep. AEC-tr-3770*.
- Lamb, H. (1932). *Hydrodynamics*. Cambridge Univ. Press.
- Lazarus, J.H. and Neilson, I.D. (1978). A generalized correlation for friction head losses of settling mixtures in horizontal smooth pipelines. *Hydrotransport 5. Proc. 5th Int. Conf. on Hydraulic Transport of Solids in Pipes.*, **1**, B1-1-B1-32.
- Ledinegg, M. (1983). Instabilität der Strömung bei Natürlichen und Zwangumlaut. *Warme*, **61**, No.8, 891-898.
- Lienhard, J.H. and Sun, K. (1970). Peak boiling heat flux on horizontal cylinders. *Int. J. Heat and Mass Transfer*, **13**, 1425-1440.
- Lockhart, R.W. and Martinelli, R.C. (1949). Proposed correlation of data for isothermal two-phase two-component flow in pipes. *Chem. Eng. Progress*, **45**, 39-48.
- Mandhane, J.M., Gregory, G.A. and Aziz, K.A. (1974). A flow pattern map for gas-liquid flow in horizontal pipes. *Int. J. Multiphase Flow*, **1**, 537-553.
- Martinelli, R.C. and Nelson, D.B. (1948). Prediction of pressure drop during forced circulation boiling of water. *Trans. ASME*, **70**, 695-702.

- Owens, W.L. (1961). Two-phase pressure gradient. International developments in heat transfer. *ASME Paper no. 41*, **2**, 363-368.
- Pan, Y. and Banerjee, S. (1997). Numerical investigation of the effects of large particles on wall-turbulence. *Phys. Fluids*, **9**, 3786-3807.
- Rayleigh, Lord. (1917). On the pressure developed in a liquid during the collapse of a spherical cavity. *Phil. Mag.*, **34**, 94-98.
- Reynolds, A.B. and Berthoud, G. (1981). Analysis of EXCOBULLE two-phase expansion tests. *Nucl. Eng. and Design*, **67**, 83-100.
- Rohsenow, W.M. and Hartnett, J.P. (1973). *Handbook of heat transfer*, Section 13. McGraw-Hill Book Co.
- Sargis, D.A., Stuhmiller, J.H. and Wang, S.S. (1979). Analysis of steam chugging phenomena, Volumes 1, 2 and 3. *Electric Power Res. Inst. Report NP-962*.
- Schicht, H.H. (1969). Flow patterns for an adiabatic two-phase flow of water and air within a horizontal tube. *Verfahrenstechnik*, **3**, No.4, 153-161.
- Shepherd, J.E. and Sturtevant, B. (1982). Rapid evaporation near the superheat limit. *J. Fluid Mech.*, **121**, 379-402.
- Sherman, D.C. and Sabersky, R.H. (1981). Natural convection film boiling on a vertical surface. *Lett. in Heat and Mass Transfer*, **8**, 145-153.
- Shook, C.A. and Roco, M.C. (1991). *Slurry flow. Principles and practice*. Butterworth-Heinemann.
- Soo, S.L. (1983). Pneumatic transport. Chap. 29 in *Handbook of fluids in motion* (eds: N.P.Chermisinoff and R.Gupta), Ann Arbor Science.
- Squires, K.D. and Eaton, J.K. (1990). Particle response and turbulence modification in isotropic turbulence. *Phys. Fluids*, **A2**, 1191-1203.
- Taitel, Y. and Dukler, A.E. (1976). A model for predicting flow regime transitions in horizontal and near horizontal gas-liquid flow. *AIChE J.*, **22**, 47-55.
- Turner, J.M. and Wallis, G.B. (1965). The separate-cylinders model of two-phase flow. *AEC Report NYO-3114-6*.
- Wade, G.E. (1974). Evolution and current status of the BWR containment system. *Nuclear Safety*, **15**, 163-173.
- Wallis, G.B. (1969). *One-dimensional two-phase flow*. McGraw-Hill Book Co.
- Weisman, J. (1983). Two-phase flow patterns. Chapter 15 in *Handbook of Fluids in Motion* (eds: N.P. Chermisinoff and R. Gupta), Ann Arbor Science Publ., 409-425.

- Weisman, J., and Kang, S.Y. (1981). Flow pattern transitions in vertical and upwardly inclined lines. *Int. J. Multiphase Flow*, **7**, 271-291.
- Westwater, J.W. (1958). Boiling of liquids. *Adv. in Chem. Eng.*, **2**, 1-56.
- Whalley, P.B. (1987). *Boiling, condensation and gas-liquid flow*. Oxford Science Publ.
- Yih, C.-S. (1969). *Fluid mechanics*. McGraw-Hill Book Co.
- Zuber, N. (1959). Hydrodynamic aspects of boiling heat transfer. *Ph.D. Thesis, UCLA*.
- Zuber, N., Tribus, M. and Westwater, J.W. (1961). The hydrodynamic crisis in pool boiling of saturated and subcooled liquids. *Proc. 2nd Int. Heat Transf. Conf.*, Section A, Part II, 230-237.